


Fitting Report for AEG


Description: ASHRAE, Ethylene Glycol
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -35.0 °C to 100.0 °C
Composition: 10.0 % to 60.0 %, volume
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Th. Cond.: data to polynomial (4, 6)
Viscosity: data to expolynomial (4, 6)
Psat: no information
Tfreeze: data to expolynomial (1, 6)

Legend: data function bounds error


showing x=0.40




showing x=0.40





showing x=0.40



showing x=0.40



No saturation state information



Fitting Report for AKF

Description: Antifrogen KF, Potassium Formate

Source: Technical Data Sheet. Clariant GmbH, 2000.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 50.0 °C

Composition: 40.0 % to 100.0 %, volume

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)


Viscosity: data to expolynomial (4, 6)

Psat: no information


Tfreeze: data to expolynomial (1, 6)




showing x=0.80






showing x=0.80



showing x=0.80



showing x=0.80



Fitting Report for AL

Description: Antifrogen L, Propylene Glycol

Source: Technical Data Sheet. Clariant GmbH, 2000.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 80.0 °C

Composition: 10.0 % to 60.0 %, volume

Density: data to polynomial (4, 6)


Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)



Fitting Report for AN

Description: Antifrogen N, Ethylene Glycol

Source: Technical Data Sheet. Clariant GmbH, 2000.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 80.0 °C

Composition: 10.0 % to 60.0 %, volume

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)

Legend:




data

— function


... bounds

• error


showing x=0.40






showing x=0.40



showing x=0.40



showing x=0.40



Fitting Report for APG

Description: ASHRAE, Propylene Glycol

Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -35.0 °C to 100.0 °C

Composition: 10.0 % to 60.0 %, volume

Density: data to polynomial (4, 6)


Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)



Fitting Report for AS10

Description: Aspen Temper -10, Potassium acetate/formate

Source: Technical Data Sheet. Aspen Petroleum AB, 2001.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -10.0 °C to 30.0 °C

Composition: pure fluid

Density: coefficients to polynomial (4, 1)







Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to polynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for AS20

Description: Aspen Temper -20, Potassium acetate/formate

Source: Technical Data Sheet. Aspen Petroleum AB, 2001.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -20.0 °C to 30.0 °C

Composition: pure fluid

Density: coefficients to polynomial (4, 1)







Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to exppolynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for AS30

Description: Aspen Temper -30, Potassium acetate/formate

Source: Technical Data Sheet. Aspen Petroleum AB, 2001.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -30.0 °C to 30.0 °C

Composition: pure fluid

Density: coefficients to polynomial (4, 1)


Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to expolynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for AS40

Description: Aspen Temper -40, Potassium acetate/formate

Source: Technical Data Sheet. Aspen Petroleum AB, 2001.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 30.0 °C

Composition: pure fluid

Density: coefficients to polynomial (4, 1)


Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to expolynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for AS55

Description: Aspen Temper -55, Potassium acetate/formate

Source: Technical Data Sheet. Aspen Petroleum AB, 2001.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -55.0 °C to 30.0 °C

Composition: pure fluid

Density: coefficients to polynomial (4, 1)







Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: equation to expolynomial (4, 1)

Psat: no information

Tfreeze: no information









Fitting Report for Acetone

Description: Acetone, liquid phase at 10 bar
Source: E.W. Lemmon and R. Span. Short Fundamental Equations of State for 20 Ind...

Temperature: -75.0 °C to 143.3306533698651 °C
Composition: pure fluid
Density: equation to polynomial (4, 1)
Spec. Heat: equation to polynomial (4, 1)

Th. Cond.: no information
Viscosity: no information
Psat: no information
Tfreeze: no information

Legend: data function bounds error



Fitting Report for Air

Description: Air, gaseous phase at 1 atm (101325 Pa)

Source: Eric W. Lemmon, Richard T. Jacobsen, Steven G. Penoncello, and Daniel G....
E. W. Lemmon and R. T Jacobsen. Viscosity and Thermal Conductivity Equat...

Temperature: -75.0 °C to 250.0 °C

Composition: pure fluid

Density: equation to polynomial (4, 1)


Spec. Heat: equation to polynomial (4, 1)

Th. Cond.: equation to polynomial (4, 1)

Viscosity: equation to exponential (3,)

Psat: no information

Tfreeze: no information




Fitting Report for DEB

Description: Diethylbenzene mixture - Dowtherm J
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C
Composition: pure fluid
Density: coefficients to polynomial (2, 1)
Spec. Heat: coefficients to polynomial (2, 1)
Th. Cond.: coefficients to polynomial (2, 1)
Viscosity: coefficients to expolynomial (3, 1)
Psat: no information
Tfreeze: no information

Legend: — function ⋯ bounds



Fitting Report for DSF

Description: Dynalene SF

Source: Dynalene
Inc.

Temperature: 0.0 °C to 315.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to logexponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for DowJ

Description: DowthermJ
Source: Technical Data Sheet. The Dow Chemical Company, 1997.

Temperature: -80.0 °C to 345.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to logexponential (3,)

Tfreeze: no information



Fitting Report for DowJ2

Description: Dowtherm J, Diethylbenzene mixture

Source: Technical Data Sheet. The Dow Chemical Company, 1997.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -73.0 °C to 315.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information




Fitting Report for DowQ

Description: DowthermQ
Source: Technical Data Sheet. The Dow Chemical Company, 1997.

Temperature: -35.0 °C to 360.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)







Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to logexponential (3,)
Tfreeze: no information



Fitting Report for DowQ2

Description: Dowtherm Q, Diphenylethane/alkylated aromatics
Source: Technical Data Sheet. The Dow Chemical Company, 1997.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -35.0 °C to 330.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: no information
Tfreeze: no information

Legend: data function bounds error



Fitting Report for Ethanol

Description: Ethanol, liquid phase at 10 bar

Source: J. A. Schroeder, S. G. Penoncello, and J. S. Schroeder. A Fundamental Eq...
S. B. Kiselev, J. F. Ely, I. M. Abdulagatov, and M. L. Huber. Generalize...

Temperature: -75.0 °C to 150.6937249519885 °C

Composition: pure fluid

Density: equation to polynomial (4, 1)

Spec. Heat: equation to polynomial (4, 1)







Th. Cond.: equation to polynomial (4, 1)

Viscosity: equation to exponential (3,)

Psat: no information

Tfreeze: no information


Legend: data function bounds error



Fitting Report for FRE

Description: Freezium, Potassium Formate
Source: Technical Data Sheet. Kemira Chemicals OY, 1998.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -40.14999999999998 °C to 39.85000000000001 °C
Composition: 19.0 % to 50.0 %, mass
Density: coefficients to polynomial (2, 3)
Spec. Heat: equation to polynomial (4, 6)
ThCond: coefficients to polynomial (2, 2)
Viscosity: equation to expolynomial (4, 6)
Psat: no information
Tfreeze: equation to polynomial (1, 6)


Legend: — function ... bounds ● data ● error



Fitting Report for FoodAsh

Description: Food ash model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature:	-40.0 °C to 150.0 °C	Th. Cond.:	coefficients to polynomial (3, 1)
Composition:	pure fluid	Viscosity:	no information
Density:	coefficients to polynomial (2, 1)	Psat:	no information
Spec. Heat:	coefficients to polynomial (3, 1)	Tfreeze:	no information



Fitting Report for FoodCarbohydrate

Description: Food carbohydrate model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information


Psat: no information

Tfreeze: no information

Legend:

function

bounds



Fitting Report for FoodFat

Description: Food fat model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)

Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information







Psat: no information

Tfreeze: no information

Legend:

— function

... bounds



Fitting Report for FoodFiber

Description: Food fiber model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information


Psat: no information

Tfreeze: no information

Legend:

function

bounds



Fitting Report for FoodIce

Description: Food ice model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)

Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information

Psat: no information

Tfreeze: no information







Legend:



function



bounds



Fitting Report for FoodProtein

Description: Food protein model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information

Psat: no information

Tfreeze: no information



Fitting Report for FoodWater

Description: Food water model from the 2006 ASHRAE Handbook based on data from Choi and Okos (1986)
Source: American Society of Heating, Refrigerating and Air-Conditioning Engineer...

Temperature: -40.0 °C to 150.0 °C

Composition: pure fluid

Density: coefficients to polynomial (3, 1)

Spec. Heat: coefficients to polynomial (3, 1)

Th. Cond.: coefficients to polynomial (3, 1)

Viscosity: no information


Psat: no information

Tfreeze: no information

Legend:

function

bounds



Fitting Report for GKN

Description: Glykosol N, Ethylene Glycol

Source: Technical Data Sheet. pro Kühlsole GmbH, 2005.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -53.0 °C to 100.0 °C

Composition: 10.0 % to 60.0 %, volume

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)







Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)

Legend: data function bounds error




Fitting Report for HC10

Description: Dynalene HC10
Source: Technical Data Sheet. Dynalene Inc., 2014.

Temperature: -10.0 °C to 218.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to expolynomial (4, 1)
Tfreeze: no information

Legend: data function bounds error



Fitting Report for HC20

Description: Dynalene HC20
Source: Technical Data Sheet. Dynalene Inc., 2014.

Temperature: -19.9999999999997 °C to 210.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to expolynomial (4, 1)

Tfreeze: no information



Fitting Report for HC30

Description: Dynalene HC30
Source: Technical Data Sheet. Dynalene Inc., 2014.

Temperature: -29.9999999999997 °C to 210.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to expolynomial (4, 1)

Tfreeze: no information



Fitting Report for HC40

Description: Dynalene HC40
Source: Technical Data Sheet. Dynalene Inc., 2014.

Temperature: -39.9999999999997 °C to 200.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)


Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to expolynomial (4, 1)

Tfreeze: no information

Legend: data function bounds error



Fitting Report for HC50

Description: Dynalene HC50
Source: Technical Data Sheet. Dynalene Inc., 2014.

Temperature: -49.9999999999997 °C to 210.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to expolynomial (4, 1)

Tfreeze: no information



Fitting Report for HCB

Description: Hydrocarbon blend - Dynalene MV
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (2, 1)


Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to expolynomial (3, 1)

Psat: no information

Tfreeze: no information

Legend: — function ⋯ bounds



Fitting Report for HCM

Description: Hydrocarbon mixture - Gilotherm D12
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to exppolynomial (3, 1)

Psat: no information

Tfreeze: no information



Fitting Report for HFE

Description: Hydrofluoroether - HFE-7100 3M Novec

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to expolynomial (3, 1)







Psat: no information

Tfreeze: no information

Legend:

— function

... bounds



Fitting Report for HFE2

Description: HFE-7100, Hydrofluoroether

Source: Technical Information. 3M Company, 2007.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -80.32999999999998 °C to 64.26999999999999 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Thermal Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information


Tfreeze: no information



Fitting Report for HY20

Description: HYCOOL 20, Potassium formate
Source: Technical Information. Hydro Chemicals, 2000.

Temperature: -20.0 °C to 50.0 °C
Composition: pure fluid
Density: coefficients to polynomial (2, 1)
Spec. Heat: coefficients to polynomial (2, 1)
Th. Cond.: equation to polynomial (4, 1)
Viscosity: equation to exponential (3,)
Psat: no information
Tfreeze: no information



Fitting Report for HY30

Description: HyCool 30, Potassium formate
Source: Technical Information. Hydro Chemicals, 2000.

Temperature: -30.0 °C to 50.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: equation to polynomial (4, 1)

Viscosity: equation to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for HY40

Description: HyCool 40, Potassium formate
Source: Technical Information. Hydro Chemicals, 2000.

Temperature: -40.0 °C to 20.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to exponential (3,)

Psat: no information


Tfreeze: no information



Fitting Report for HY45

Description: HyCool 45, Potassium formate
Source: Technical Information. Hydro Chemicals, 2000.

Temperature:	-45.0 °C to 20.0 °C	Th. Cond.:	coefficients to polynomial (2, 1)
Composition:	pure fluid	Viscosity:	equation to exponential (3,)
Density:	coefficients to polynomial (2, 1)	Psat:	no information
Spec. Heat:	coefficients to polynomial (2, 1)	Tfreeze:	no information



Fitting Report for HY50

Description: HyCool 50, Potassium formate
Source: Technical Information. Hydro Chemicals, 2000.

Temperature: -50.0 °C to 20.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for Hexane

Description: Hexane, liquid phase at 10 bar

Source: E. K. Michailidou, M. J. Assael, M. L. Huber, and R. A. Perkins. Referen...
M. Thol, Y. Wang, E.W. Lemmon, and R. Span. Fundamental equations of sta...

Temperature: -75.0 °C to 165.03267759651578 °C

Composition: pure fluid

Density: equation to polynomial (4, 1)

Spec. Heat: equation to polynomial (4, 1)


Th. Cond.: equation to polynomial (4, 1)

Viscosity: equation to exponential (3,)

Psat: no information

Tfreeze: no information







Legend: data function bounds error



Fitting Report for IceEA

Description: Ice slurry with Ethanol
Source: Michael Kauffeld. RP-1166—Behavior of Ice Slurries in Thermal Storage Sy...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -33.14999999999998 °C to -8.149999999999999 °C
Composition: 5.0 % to 35.0 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
ThCond: no information
Viscosity: no information
Psat: no information
Tfreeze: no information

Legend: data function bounds error



Fitting Report for IceNA

Description: Ice slurry with NaCl

Source: Michael Kauffeld. RP-1166—Behavior of Ice Slurries in Thermal Storage Sy...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -18.14999999999977 °C to -3.14999999999977 °C no information

Composition: 5.0 % to 35.0 %, mass







Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Viscosity: no information







Psat: no information

Tfreeze: no information



Fitting Report for IcePG







Description: Ice slurry with Propylene Glycol
Source: Michael Kauffeld. RP-1166—Behavior of Ice Slurries in Thermal Storage Sy...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -43.14999999999998 °C to -8.149999999999999 °C
Composition: 5.0 % to 35.0 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Tm: no information
Viscosity: no information
Psat: no information
Tfreeze: no information



Fitting Report for LiBr

Description: Lithium-bromide solution - aq
Source: Jaroslav Pátek and Jaroslav Klomfar. A computationally effective formula...

Temperature: -0.1499999999997726 °C to 226.85000000000000 °C
Composition: 0.0 % to 75.0 % , mass
Density: equation to polynomial (4, 6)
Spec. Heat: equation to polynomial (4, 6)
ThCond: no information
Viscosity: no information
Psat: equation to exppolynomial (4, 6)
Tfreeze: no information



Fitting Report for LiqNa

Description: LiqNa

Source: LiqNa

Temperature: 126.85000000000002 °C to 2226.85 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to exponential (3,)

Tfreeze: no information

Legend:



data









function



bounds



error




Fitting Report for MAM

Description: Ammonia (NH3) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 30.0 °C
Composition: 0.0 % to 30.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to exppolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MAM2

Description: Melinder, Ammonia

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -49.0 °C to 20.0 °C

Composition: 7.8 % to 23.6 %, mass

Density: data to polynomial (4, 5)

Spec. Heat: data to polynomial (4, 5)







Th. Cond.: data to polynomial (4, 5)

Viscosity: data to expolynomial (4, 5)

Psat: no information

Tfreeze: data to expolynomial (1, 5)

Legend: data function bounds error




Fitting Report for MCA

Description: Calcium Chloride (CaCl2) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 30.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to exppolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MCA2

Description: Melinder, Calcium Chloride

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -44.0 °C to 30.0 °C

Composition: 9.0 % to 29.4 %, mass

Density: data to polynomial (4, 6)







Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to exp polynomial (4, 6)

Psat: no information

Tfreeze: data to exp polynomial (1, 6)




Fitting Report for MEA

Description: Ethyl Alcohol (Ethanol) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 60.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to exppolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MEA2

Description: Melinder, Ethanol

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -44.0 °C to 20.0 °C

Composition: 11.0 % to 60.0 %, mass

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)


Viscosity: data to expolynomial (4, 6)

Psat: no information


Tfreeze: data to expolynomial (1, 6)

Legend: data function bounds error


showing x=0.40




showing x=0.40





showing x=0.40



showing x=0.40



No saturation state information




Fitting Report for MEG

Description: Ethylene Glycol - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 100.0 °C
Composition: 0.0 % to 60.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MEG2

Description: Melinder, Ethylene Glycol

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -44.0 °C to 40.0 °C

Composition: 0.0 % to 56.000000000000001 %, mass

Density: data to polynomial (4, 6)







Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to exp polynomial (4, 6)

Psat: no information

Tfreeze: data to exp polynomial (1, 6)




Fitting Report for MGL

Description: Glycerol - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...







Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 60.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MGL2

Description: Melinder, Glycerol
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -40.0 °C to 40.0 °C
Composition: 19.5 % to 63.0 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Th. Cond.: data to polynomial (4, 6)
Viscosity: data to expolynomial (4, 6)
Psat: no information
Tfreeze: data to expolynomial (1, 6)









Fitting Report for MITSW

Description: MIT Seawater
Source: Mostafa H. Sharqawy, John H. Lienhard V, and Syed M. Zubair. Thermophys...

Temperature: 0.0 °C to 120.0 °C
Composition: 0.0 % to 12.0 %, mass
Density: equation to polynomial (4, 6)
Spec. Heat: equation to polynomial (4, 6)

Th. Cond.: equation to polynomial (4, 6)
Viscosity: equation to expolynomial (4, 6)
Psat: equation to expolynomial (4, 6)
Tfreeze: no information




Fitting Report for MKA

Description: Potassium Acetate (CH₃CO₂K) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...


Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 45.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MKA2

Description: Melinder, Potassium Acetate
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -44.0 °C to 30.0 °C
Composition: 11.0 % to 41.0 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Th. Cond.: data to polynomial (4, 6)
Viscosity: data to expolynomial (4, 6)
Psat: no information
Tfreeze: data to expolynomial (1, 6)




Fitting Report for MKC

Description: Potassium Carbonate (K₂CO₃) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 40.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MKC2

Description: Melinder, Potassium Carbonate

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -35.0 °C to 30.0 °C

Composition: 0.0 % to 39.0 %, mass

Density: data to polynomial (4, 6)







Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to exp polynomial (4, 6)

Psat: no information

Tfreeze: data to exp polynomial (1, 6)




Fitting Report for MKF

Description: Potassium Formate (CHKO2) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 48.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds




Fitting Report for MLI

Description: Lithium Chloride (LiCl) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 24.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to exppolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MMA

Description: Methyl Alcohol (Methanol) - aq

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C

Composition: 0.0 % to 60.0 %, mass

Density: coefficients to polynomial (4, 6)

Spec. Heat: coefficients to polynomial (4, 6)

Th. Cond.: coefficients to polynomial (4, 6)

Viscosity: coefficients to expolynomial (4, 6)

Psat: no information


Tfreeze: coefficients to polynomial (1, 6)

Legend:


— function

... bounds


showing x=0.30






showing x=0.30



showing x=0.30



showing x=0.30



Fitting Report for MMA2

Description: Melinder, Methanol

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -50.0 °C to 20.0 °C

Composition: 7.8 % to 47.4 %, mass

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)


Viscosity: data to expolynomial (4, 6)

Psat: no information


Tfreeze: data to expolynomial (1, 6)

Legend: ● data — function ... bounds ● error


showing x=0.27






showing x=0.27



showing x=0.27



showing x=0.27




Fitting Report for MMG

Description: MgCl2 - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 30.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MMG2

Description: Melinder, Magnesium Chloride

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -30.0 °C to 30.0 °C

Composition: 0.0 % to 20.5 %, mass

Density: data to polynomial (4, 6)


Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)




Fitting Report for MNA

Description: Sodium Chloride (NaCl) - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 40.0 °C
Composition: 0.0 % to 23.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds



Fitting Report for MNA2

Description: Melinder, Sodium Chloride

Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -20.0 °C to 30.0 °C

Composition: 0.0 % to 23.0 %, mass

Density: data to polynomial (4, 6)







Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)




Fitting Report for MPG

Description: Propylene Glycol - aq
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -100.0 °C to 100.0 °C
Composition: 0.0 % to 60.0 %, mass
Density: coefficients to polynomial (4, 6)
Spec. Heat: coefficients to polynomial (4, 6)
Th. Cond.: coefficients to polynomial (4, 6)
Viscosity: coefficients to expolynomial (4, 6)
Psat: no information
Tfreeze: coefficients to polynomial (1, 6)

Legend: — function ⋯ bounds




Fitting Report for MPG2


Description: Melinder, Propylene Glycol
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -45.0 °C to 40.0 °C
Composition: 15.0 % to 57.00000000000001 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Th. Cond.: data to polynomial (4, 6)
Viscosity: data to expolynomial (4, 6)
Psat: no information
Tfreeze: data to expolynomial (1, 6)




showing x=0.37






showing x=0.37



showing x=0.37



showing x=0.37



Fitting Report for NBS

Description: NBS, Water

Source: Ernst Schmidt. Properties of Water and Steam in SI-Units. Springer, 2nd ...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: 1.0 °C to 100.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for NaK

Description: Nitrate salt, 0.6 NaNO3 and 0.4 KNO3
Source: Alexis B. Zavoico. Solar Power Tower Design Basis Document. Technical Re...

Temperature: 300.0 °C to 600.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to polynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for PBB

Description: Pirobloc HTF-BASIC
Source: <http://www.fluidotermico.com>

Temperature: 50.0 °C to 300.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)


Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information

Legend: data function bounds error



Fitting Report for PCL

Description: Paracryol, Aliphatic Hydrocarbon

Source: Technical Information. Sulzer Chemtech AG, 1999.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 180.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information




Fitting Report for PCR

Description: Paratherm CR
Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -99.9999999999997 °C to 220.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to logexponential (3,)
Tfreeze: no information

Legend: data function bounds error



Fitting Report for PGLT

Description: Paratherm GLT

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -15.0 °C to 315.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)







Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to exp polynomial (4, 1)

Tfreeze: no information

Legend: data function bounds error



Fitting Report for PHE

Description: Paratherm HE

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: 0.0 °C to 330.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to exppolynomial (4, 1)

Tfreeze: no information

Legend:



data









function



bounds



error



Fitting Report for PHR

Description: Paratherm HR

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -15.0 °C to 370.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to exp polynomial (4, 1)

Tfreeze: no information

Legend:



data









function



bounds



error



Fitting Report for PK2

Description: Pekasol 2000, K acetate/formate

Source: Technical Data Sheet. pro Kühlsole GmbH, 2005.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -62.0 °C to 100.0 °C

Composition: 30.0 % to 100.0 %, volume

Density: data to polynomial (4, 6)


Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to exp polynomial (4, 6)

Psat: no information

Tfreeze: data to exp polynomial (1, 6)



Fitting Report for PKL

Description: Pekasol L, Propylene Glycol

Source: Technical Data Sheet. pro Kühlsole GmbH, 2005.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -49.0 °C to 100.0 °C

Composition: 10.0 % to 60.0 %, volume

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)


Viscosity: data to expolynomial (4, 6)

Psat: no information


Tfreeze: data to expolynomial (1, 6)

Legend: data function bounds error


showing x=0.40






showing x=0.40



showing x=0.40



showing x=0.40




Fitting Report for PLR

Description: Paratherm LR
Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -84.99999999999997 °C to 230.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to expolynomial (4, 1)
Tfreeze: no information

Legend: data function bounds error



Fitting Report for PMR

Description: Paratherm MR

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -39.99999999999997 °C to 315.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to expolynomial (4, 1)

Tfreeze: no information

Legend:



data









function



bounds



error



Fitting Report for PMS1

Description: Polydimethylsiloxan 1 - Baysilone KT3
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to exppolynomial (3, 1)

Psat: no information

Tfreeze: no information



Fitting Report for PMS2

Description: Polydimethylsiloxan 2 - Syltherm XLT
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (2, 1)







Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to expolynomial (3, 1)

Psat: no information

Tfreeze: no information

Legend: — function ⋯ bounds



Fitting Report for PNF

Description: Paratherm NF

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>

Temperature: -10.0 °C to 315.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exp polynomial (4, 1)

Psat: data to exp polynomial (4, 1)

Tfreeze: no information

Legend:



data









function



bounds



error



Fitting Report for PNF2

Description: Paratherm NF, Hydrotreated mineral oil

Source: Thermal Properties Calculator v6.4. Paratherm Ltd., 2013. URL: <http://pa...>
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -10.0 °C to 320.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to logexponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for S800

Description: Syltherm 800

Source: Dow Chemical Company - FLUIDFILE Software accessed May 2017

Temperature: -40.0 °C to 398.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to expolynomial (4, 1)

Psat: data to exponential (3,)

Tfreeze: no information



Fitting Report for SAB

Description: Synthetic alkyl benzene - Marlotherm X
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)

Spec. Heat: coefficients to polynomial (2, 1)


Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: coefficients to expolynomial (3, 1)

Psat: no information

Tfreeze: no information

Legend: — function ⋯ bounds




Fitting Report for T66

Description: Therminol66
Source: Therminol Heat Transfer Reference Disk v5.1. Eastman Chemical Company, 2...

Temperature: 0.0 °C to 380.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)


Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to exponential (3,)
Tfreeze: no information



Fitting Report for T72

Description: Therminol72
Source: Therminol Heat Transfer Reference Disk v5.1. Eastman Chemical Company, 2...

Temperature: -10.0 °C to 380.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to logexponential (3,)
Psat: data to expolynomial (4, 1)
Tfreeze: no information




Fitting Report for TCO

Description: Citrus oil terpene - d-Limonene
Source: Åke Melinder. Properties of Secondary Working Fluids for Indirect System...

Temperature: -80.0 °C to 100.0 °C
Composition: pure fluid
Density: coefficients to polynomial (2, 1)
Spec. Heat: coefficients to polynomial (2, 1)
Th. Cond.: coefficients to polynomial (2, 1)
Viscosity: coefficients to expolynomial (3, 1)
Psat: no information
Tfreeze: no information

Legend: — function ⋯ bounds




Fitting Report for TD12

Description: TherminolD12
Source: Therminol Heat Transfer Reference Disk v5.1. Eastman Chemical Company, 2...

Temperature: -85.0 °C to 230.0 °C
Composition: pure fluid

Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to exponential (3,)
Tfreeze: no information




Fitting Report for TVP1

Description: TherminolVPI
Source: Therminol Heat Transfer Reference Disk v5.1. Eastman Chemical Company, 2...

Temperature: 12.0 °C to 397.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to exponential (3,)
Tfreeze: no information



Fitting Report for TVP1869

Description: Thermogen VP 1869

Source: Technical Information. Hoechst AG, 1995.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -80.0 °C to 20.0 °C

Composition: pure fluid

Density: coefficients to polynomial (2, 1)


Spec. Heat: coefficients to polynomial (2, 1)

Th. Cond.: coefficients to polynomial (2, 1)

Viscosity: equation to expolynomial (4, 1)

Psat: no information

Tfreeze: no information



Fitting Report for TX22

Description: Texatherm22
Source: Technical Data Sheet. Chevron Products Company, 2004.

Temperature: 0.0 °C to 350.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: data to exp polynomial (4, 1)

Tfreeze: no information



Fitting Report for TY10

Description: Tyfoxit 1.10, Potassium Acetate

Source: Technical Information. Tyforop Chemie GmbH, 1999.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -10.0 °C to 40.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)



Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for TY15

Description: Tyfoxit 1.15, Potassium Acetate

Source: Technical Information. Tyforop Chemie GmbH, 1999.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -20.0 °C to 40.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for TY20

Description: Tyfoxit 1.20, Potassium Acetate

Source: Technical Information. Tyforop Chemie GmbH, 1999.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 40.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for TY24

Description: Tyfoxit 1.24, Potassium Acetate

Source: Technical Information. Tyforop Chemie GmbH, 1999.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -55.0 °C to 40.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)



Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for VCA

Description: VDI, Calcium Chloride

Source: Ewald Preisegger, Felix Flohr, Gernot Krakat, Andreas Glück, and Dietmar...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -55.0 °C to 20.0 °C

Composition: 14.7 % to 29.9 %, mass

Density: data to polynomial (4, 5)







Spec. Heat: data to polynomial (4, 5)

Th. Cond.: data to polynomial (4, 5)

Viscosity: data to expolynomial (4, 5)

Psat: no information

Tfreeze: data to expolynomial (1, 5)



Fitting Report for VKC

Description: VDI, Potassium Carbonate

Source: Ewald Preisegger, Felix Flohr, Gernot Krakat, Andreas Glück, and Dietmar...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -35.0 °C to 20.0 °C

Composition: 12.8 % to 38.9 %, mass

Density: data to polynomial (4, 6)







Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)



Fitting Report for VMA

Description: VDI, Methanol

Source: Ewald Preisegger, Felix Flohr, Gernot Krakat, Andreas Glück, and Dietmar...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -80.0 °C to 0.0 °C

Composition: 10.0 % to 90.0 %, mass

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)







Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)

Legend: data function bounds error



Fitting Report for VMG

Description: VDI, Magnesium Chloride

Source: Ewald Preisegger, Felix Flohr, Gernot Krakat, Andreas Glück, and Dietmar...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -33.0 °C to 20.0 °C

Composition: 7.200000000000001 % to 20.6 %, mass

Density: data to polynomial (4, 5)


Spec. Heat: data to polynomial (4, 5)

Th. Cond.: data to polynomial (4, 5)

Viscosity: data to exp polynomial (4, 5)







Psat: no information

Tfreeze: data to exp polynomial (1, 5)




Fitting Report for VNA

Description: VDI, Sodium Chloride
Source: Ewald Preisegger, Felix Flohr, Gernot Krakat, Andreas Glück, and Dietmar...
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...
Temperature: -21.0 °C to 20.0 °C
Composition: 7.000000000000001 % to 23.1 %, mass
Density: data to polynomial (4, 6)
Spec. Heat: data to polynomial (4, 6)
Th. Cond.: data to polynomial (4, 6)
Viscosity: data to expolynomial (4, 6)
Psat: no information
Tfreeze: data to expolynomial (1, 6)



Fitting Report for Water

Description: Fit of EOS from 1 bar to 100 bar
Source: W. Wagner and A. Pruß. The IAPWS Formulation 1995 for the Thermodynamic ...
M.L. Huber, R.A. Perkins, A. Laesecke, D.G. Friend, J.V. Sengers, M.J As...
Temperature: 0.0 °C to 200.0 °C
Composition: pure fluid
Density: data to polynomial (4, 1)
Spec. Heat: data to polynomial (4, 1)
Th. Cond.: data to polynomial (4, 1)
Viscosity: data to exponential (3,)
Psat: data to exponential (3,)
Tfreeze: no information



Fitting Report for XLT

Description: SylthermXLT
Source: Technical Data Sheet. The Dow Chemical Company, 1997.

Temperature: -100.0 °C to 260.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)


Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information

Legend: data function bounds error



Fitting Report for XLT2

Description: Syltherm XLT, Polydimethylsiloxan

Source: Technical Data Sheet. The Dow Chemical Company, 1997.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -100.0 °C to 260.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)







Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information

Legend: data function bounds error



Fitting Report for ZAC

Description: Zitrec AC, Corrosion Inhibitor

Source: Technical Information. Artec NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: 0.0 °C to 100.0 °C

Composition: 6.0 % to 50.0 %, volume

Density: data to polynomial (4, 6)


Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)

Viscosity: data to expolynomial (4, 6)

Psat: no information

Tfreeze: data to expolynomial (1, 6)



Fitting Report for ZFC

Description: Zitrec FC, Propylene Glycol

Source: Technical Information. Arteco NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -40.0 °C to 100.0 °C

Composition: 30.0 % to 60.0 %, volume

Density: data to polynomial (4, 4)


Spec. Heat: data to polynomial (4, 4)

Th. Cond.: data to polynomial (4, 4)

Viscosity: data to expolynomial (4, 4)

Psat: no information

Tfreeze: data to expolynomial (1, 4)



Fitting Report for ZLC

Description: Zitrec LC, Propylene Glycol

Source: Technical Information. Arteco NV/SA, 2010.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -50.0 °C to 100.0 °C

Composition: 30.0 % to 70.0 %, volume

Density: data to polynomial (4, 5)

Spec. Heat: data to polynomial (4, 5)







Th. Cond.: data to polynomial (4, 5)

Viscosity: data to expolynomial (4, 5)

Psat: no information

Tfreeze: data to expolynomial (1, 5)

Legend: data function bounds error



Fitting Report for ZM

Description: Zitrec M, Ethylene Glycol

Source: Technical Information. Arteco NV/SA, 2010.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -50.0 °C to 120.0 °C

Composition: 0.0 % to 100.0 %, volume

Density: data to polynomial (4, 6)

Spec. Heat: data to polynomial (4, 6)

Th. Cond.: data to polynomial (4, 6)


Viscosity: data to exp polynomial (4, 6)

Psat: no information


Tfreeze: data to exp polynomial (1, 6)

Legend: data function bounds error


showing x=0.60






showing x=0.60



showing x=0.60



showing x=0.60



Fitting Report for ZMC

Description: Zitrec MC, Ethylene Glycol

Source: Technical Information. Arteco NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -50.0 °C to 110.0 °C

Composition: 30.0 % to 70.0 %, volume

Density: data to polynomial (4, 5)

Spec. Heat: data to polynomial (4, 5)

Th. Cond.: data to polynomial (4, 5)


Viscosity: data to expolynomial (4, 5)

Psat: no information


Tfreeze: data to expolynomial (1, 5)




showing x=0.50






showing x=0.50



showing x=0.50



showing x=0.50



Fitting Report for ZS10

Description: Zitrec S10, Potassium formate/Sodium propionate

Source: Technical Information. Artec NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -8.0 °C to 90.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)


Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for ZS25

Description: Zitrec S25, Potassium formate/Sodium propionate

Source: Technical Information. Artec NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -23.0 °C to 90.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for ZS40

Description: Zitrec S40, Potassium formate/Sodium propionate

Source: Technical Information. Arteco NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -38.0 °C to 90.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for ZS45

Description: Zitrec S45, Potassium formate/Sodium propionate

Source: Technical Information. Arteco NV/SA, 2010.

Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -43.0 °C to 90.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)







Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to exponential (3,)

Psat: no information

Tfreeze: no information



Fitting Report for ZS55

Description: Zitrec S55, Potassium formate/Sodium propionate

Source: Technical Information. Arteco NV/SA, 2010.
Morten Juel Skovrup. SecCool Properties v1.33. IPU Refrigeration and Ene...

Temperature: -55.0 °C to 90.0 °C

Composition: pure fluid

Density: data to polynomial (4, 1)

Spec. Heat: data to polynomial (4, 1)

Th. Cond.: data to polynomial (4, 1)

Viscosity: data to expolynomial (4, 1)

Psat: no information

Tfreeze: no information

